

FUJILL



平台电梯
Platform elevator



合作共赢 收获无限

*Win-win cooperation
Countless gain*





釜基莱锐意进取，建立和拓展国内外市场和服务网络。

FUJILL IS DETERMINED TO MAKE PROGRESS. OVER THE YEARS, WE HAVE BEEN ESTABLISHING AND EXPANDING SALES AND SERVICE NETWORKS IN DOMESTIC AND FOREIGN MARKETS.



结构紧凑 布局多样

Diverse location layout



安全可靠
Safe and reliable



绿色节能
Green technology



舒适静音
Comfortable and quiet



极致空间
Extreme space

智能安全系统

Smart safety system



停电应急疏散装置

Power failure emergency evacuation device

当停电时，自动进入应急平层模式，电梯就近平层开门。

When there is power failure, the elevator will automatically enter the emergency leveling mode, and the elevator will open the door on the nearest leveling.



安全边框保护

Safe border protection

平台三面设有安全边框，当有异物卡滞，电梯即停。

There are safety borders on three sides of the platform, the elevator will stop when getting stuck.



物联网远程监控

IoT remote monitoring

电梯故障时自动报警，手机可实时观测异地电梯的参数及运行状态。

When the elevator fails, it will automatically alarm, and the mobile phone can observe the parameters and running status of the elevator in other places in real time.



一键呼叫系统

One-key calling system

当电梯故障时，可直接呼叫设置好的5个联系人号码。

When the elevator fails, you can directly call the set 5 contact numbers.



门防夹保护功能

Door anti-clip protection function

门开闭时，如遇堵转，自动反向开启。

When elevator door is opened and closed, it will automatically open in the reverse direction in case of locked-rotor.



安全静音

Safe and silent

无接触器智能电子控制。

Intelligent electronic control without contactor.



时刻保障安全、平稳、舒适

Ensure safety, stability and comfort at all times

变频控制系统，结合磁栅尺精准定位，平层精确。为您提供安全、舒适、静音的乘梯体验

Frequency conversion control system, combined with magnetic railings ruler, accurate positioning and leveling. To provide you with a safe, comfortable and quiet elevator taking experience.

绿色科技， 让生活更加美好


Green technology make life better

专为家用电梯而设计的钢带曳引机与传统无齿轮曳引机相比，技术领先，性能可靠，优势明显。

- 1.高效节能
- 2.钢带与曳引轮、轿底轮无滚动无声摩擦，减少噪音干扰。
- 3.钢带1200万次疲劳寿命和抗拉强度实验，性能超过传统钢丝绳，通过国外TUV测试验证。
- 4.曳引机和制动器等通过等同于国家曳引机标准的型式实验，通过国家电梯检测机构委托测试和莱茵TUV检测机构CE认证。
- 5.自主知识产权，技术领先，拥有多项发明和实用型新专利。目前，是国内自主品牌领先的钢带曳引电梯整机供应商。


Compared with traditional gearless traction machines, the steel belt traction machine specially designed for home elevators has leading technology, reliable performance and obvious advantages.

1. High efficiency and energy saving
2. There is no rolling and silent friction between the steel belt and the traction sheave and the bottom wheel of the car to reduce noise interference.
3. The steel belt has 12 million cycles of fatigue life and tensile strength experiments, and its performance exceeds that of traditional steel wire ropes. It has been verified by foreign TUV testing.
4. The traction machine and brake have passed the type test equivalent to the national traction machine standard, passed the test commissioned by the national elevator testing agency and the Rheinland TUV testing agency CE certification.
5. Independent intellectual property rights, leading technology, and possessing a number of inventions and practical new patents. At present, it is the leading supplier of steel belt traction elevators for domestic independent brands.



尺寸: 长580x宽220x高315mm 重量: 80kg
瑞典SKF轴承, 德国Heidenhain编码器
适用电压: 单相220V、380V、415V

Size: L580xW220xH315mm
Weight: 80kg
Sweden SKF bearings, German heidenhain encoder
Supply power: Single phase 220V, or three phases 380V and 415V



厚度: 4mm
破断拉力: 37000-47000N
疲劳寿命: 1200万次

Thickness: 4mm
Broken tension force: 37000-47000N
Fatigue life: 12,000,000 times



永磁动力
Permanent magnet power

永磁同步传动和数字变频技术相结合，比一般传统技术可节省能源33%以上。无需添加、更换油脂，无污染，低噪音。

Integrating permanent magnet synchronous drive technology and digital frequency conversion technology, which can save more than 33% of energy compared to the general traditional technology. No need to add or replace grease, no oil pollution, low noise



节能控制
Energy saving control

LED高效节能照明灯，电梯停用时自动熄灭，节省用电，绿色环保。

LED efficient and energy-saving light. It will automatically go out when the elevator is not in use, which saves electricity and is environmentally friendly.

平台电梯 井道图

Platform elevator
shaft diagram





量身定制，
充分利用空间

Customized
Make full use of space

最低顶层高度2250mm
底坑深度0-60mm
最小土建平面尺寸930x880mm

Minimum top height 2250mm
Pit depth 0-60mm
Minimum civil engineering plane
size 930x880mm



规格	平台尺寸		框架外形尺寸		土建留孔尺寸	
	PW	PD	KW	KD	TW	TD
180kg / 2人	850mm	650mm	900mm	1000mm	930mm	1030mm
250kg / 3人	950mm	800mm	1000mm	1150mm	1030mm	1180mm
300kg / 4人	1050mm	850mm	1100mm	1200mm	1130mm	1230mm
400kg / 5人	1150mm	950mm	1200mm	1300mm	1230mm	1330mm



井道框架 色彩选择

*Hoistway frame
Color selection*



深邃灰
Deep gray



瓷炫白
Porcelain Hyun White



磨砂金
Frosted gold

注：以上为标准色，接受其他颜色个性化定制。
Note: The above are standard colors, and other colors can be customized.

开门方式

Door opening
type



单扇平开门
Single-leaf swing door



中分平开门
Center opening door



平开子母门
Unequal double door

注：自动或手动门，其外形和尺寸均相同。
Note: The appearance and dimensions of automatic or manual doors are the same.



个性化外呼 多种选择

*Multiple options for
Personalized call buttons*



外呼按钮 Call buttons



标配外呼
Standard
HOP-A08



长腰型外呼
Long waist type
HOP-A09



触摸屏圆外呼
Touch screen(round)
HOP-A10



触摸屏方外呼
Touch screen(square)
HOP-A11

智能化人机 操控自如

*Intelligent
Button panel*




13.3寸智能触摸屏（竖式）
13.3 inch Intelligent touch screen

COP-A05



10.4寸智能触摸屏（横式）
10.4 inch Intelligent touch screen

COP-A09



全高触摸按钮操纵箱
Integrated COP with touch buttons

COP-A10



各种轿壁风格 任君挑选

Interior style



触摸按钮操纵箱+岩板
Touch button COP+Rock slab

JB-01



触摸屏操纵箱+岩板
Touch screen COP+Rock slab

JB-02



木饰面+铝合金边框+触摸屏操纵箱
Wood veneer+aluminium frame + touch screen COP

JB-03




艺术玻璃+铝合金边框+横式按钮操纵箱
Artistic glass+aluminium frame + horizontal buttons COP

JB-04

地板款式 自由搭配

Floor styles

岩板系列




Rock board series


编织地板系列



DB-B01



DB-B02




DB-B03

Woven Floor Series

PVC系列



DB-C01





DB-C02



DB-C03

PVC series






HTTP:fujill.com

星空顶、氛围灯

Starry sky top, atmosphere light



黑色亚克力板+射灯 (标配)
Black acrylic plate + spotlight (standard)
JD-01



黑色亚克力板+四周线条灯 (选配)
Black acrylic plate + surrounding line lights (optional)
JD-02

氛围灯选配 Ambient light option

白色 white
DT-01



蓝色 blue
DT-02



黄色 yellow
DT-03



红色 red
DT-04



致力于打造
世界顶尖的平台电梯

*Committed to building
The world-class platform elevator*

样册上的产品颜色、款式可能与实物存在一定差异，我们保留更改的权利。
The color and style of products in the catalogue may have certain differences
compared with the actual product, we reserve the right to change.

FUJALL